# **Dr. Jennifer Robinson**

**Plastic Surgeon** 

www.drjenniferrobinson.com

314 – 1964 Fort Street Victoria, BC V8R 6R3

P. 250-590-7097

F. 250-590-7058

## **Breast Capsuloplasty/Capsulopexy Information Sheet**

#### **PROCEDURE**

Breast Capsuloplasty or Capsulopexy is usually indicated when a breast implant or implants has or have moved or displaced from the desired footprint of the breast on the chest wall. This can result in asymmetry or malposition of the implant. During this operation, the patient is given a general anesthetic and usually existing incisions are used. The implant is removed and protected while the connective tissue covering that surrounds all implanted devices is reshaped and sewn together in a more desirable position for the implant. The implant is then replaced and the capsule sealed around it. A bra is usually used afterward for support.

#### **PRE-OPERATIVE**

Patients will visit the office prior to surgery, at which time they will meet with Dr. Robinson to discuss the procedure. Photographs may be taken during consultation and/or immediately prior to surgery. Prior to booking surgery, you will need to decide who will your support person will be. It is important that they are aware of the type of surgery you are having, that they are comfortable helping with incision care/are not "squeamish", and that they are available solely to you during your immediate recovery period (they should not have any other commitments). At the minimum, you cannot be left alone for the first 24 hours after surgery; however, you will also need help with personal care/hygiene, meals, household chores, childcare, etc. for several days.

We advise against driving until after you are seen in office postoperatively, as you cannot drive while taking pain medication and are discouraged from holding your arms up for long periods of time. After a surgical date has been confirmed, you will receive more specific information and a review of what you are required to complete before surgery. If you live out of town, we strongly recommend making arrangements to stay in Victoria overnight after your procedure. There are a few nearby hotels that offer discounts to our patients.

Once you have booked your date, please ensure you have the following supplies on hand: • Stool softener (i.e. Colace or Senokot), as pain medication may cause constipation • Tylenol Extra Strength

• Ibuprofen 400mg

### **DAY OF SURGERY**

Breast surgery is performed under a general anesthetic so you will be asked to fast after midnight the night before. You must be discharged from the clinic with a responsible adult (preferably the person who will be helping care for you after surgery). A prescription for pain medication will be provided if needed. Arrival time for surgery will not be provided to you until about 1-2 weeks prior, so it is important that both you and your support person do not have any other responsibilities that day.

#### POST-OPERATIVE & LONG-TERM FOLLOW-UP

You can expect mild to moderate bruising and swelling post-operatively, peaking at around 72 hours and slowly resolving over the first couple of weeks. Mild to moderate discomfort is typical. Slight breast asymmetry is commonly seen in the early stages of healing, particularly if the capsule work is on one side only.

You will be discharged from our clinic with small dressings over your incisions and likely a supportive bra. You will also have a glued tape-like closure (Prineo) and/or Steri-Strips over your incisions (beneath the dressings). Gauze-type dressings are left in place for 48 hours. More specific incision care, and instructions regarding dressings and the surgical tape closure will be reviewed by our nursing staff prior to discharge from the clinic after surgery.

You will be asked to rest at home for about a week after surgery. You will be seen in the office for follow-up 1-2 weeks after your surgery, and it is recommended that your support person drive you to this appointment. Our nursing staff will help with scar management to help you achieve the best possible result. Gym and workout routine can typically be resumed at four weeks, slowly working up to full activity at six weeks. You should refrain from any strenuous lifting or strain to the upper body while you heal. Do not perform implant massage for the first 2 weeks after the surgery to allow the capsule to mature. Regular, gentle, implant massage can be resumed after this time once daily.

Though rare, post-operative complications from any procedure are possible. These can include infection, bleeding (hematoma), asymmetry of breast shape or size, fat necrosis, delayed healing, unsatisfactory scarring, or loss of the nipple areolar complex. Altered sensations (numbness, tingling, and/or hypersensitivity) are to be expected while you are healing, and can persist for several weeks or months.

Our health care team follows you closely to recognize and treat any complications, should they arise. As with any surgery, results cannot be guaranteed. The goal of cosmetic plastic surgery is improvement, and perfection is not attainable. Final results depend on many factors and healing can vary from patient to patient. It is important to remember to have patience during convalescence to allow your body time to recuperate and settle. You will be seen at approximately 3 months post-op by Dr. Robinson to assess your healing and the final shape of your breasts. You will be seen again at approximately 1 year. Post-operative photos may be done at this time. If revisions are required, they would be discussed, and a surgical plan set up at that time.

Call us at (250) 590-7097 if you have: • Significant bleeding from the surgical site • A fever over 100.4° F (38 C) within the first three days following the procedure • Significant pain and swelling in the area that is not relieved with pain relievers • Foul-smelling drainage from the site or increasing redness around the surgical site In the event of an after-hours EMERGENCY, please call Dr. Robinson directly at the number provided by our office assistant.